



HARYANA STATE POLLUTION CONTROL BOARD



Regional Office Karnal, 2nd floor of SCO No.78-79
above PNB bank, near namstay Chowk,

karnal, Haryana. Email:- hspcbrokar@gmail.com

E-mail: hspcb@hry.nic.in

No. HSPCB/Consent/ : 313283123KARCTO31987164

Dated:07/02/2023

To.

M/s :Shiv Shakti Inter Globe Exports Pvt Ltd
Link Road Taraori District karnal

Subject: Grant of consent to operate to M/s Shiv Shakti Inter Globe Exports Pvt Ltd .

Please refer to your application no. 31987164 received on dated 2022-12-24 in regional office Karnal. With reference to your above application for consent to operate, M/s Shiv Shakti Inter Globe Exports Pvt Ltd is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/04/2023 - 31/03/2028
Industry Type	Parboiled Rice Mills having quantity of waste water generation up to 100 KLD or fuel consumption up to 12 MTD or both
Category	ORANGE
Investment(In Lakh)	2280.98
Total Land Area(Sq. meter)	28080.0
Total Builtup Area(Sq. meter)	18600.0
Quantity of effluent	
1. Trade	60.0 KL/Day
2. Domestic	2.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Septic Tank
2. Trade	ETP then irrigation and land percolation
Domestic Effluent Parameters	
1. All Applicable Standards as per EP Acts/Rules/Norms	
Trade Effluent Parameters	
1. All Applicable Standards as per EP Acts/Rules/Norms	
2. BOD	30 mg/l
3. COD	250 mg/l
4. TSS	100 mg/l

5. pH	5.5-9
Number of stacks	3
Height of stack	
1. Stack to Boiler	33 m
2. DG Set 500X4	5 m
3. DG Set 1000	7 m
Emission parameters	
1. SPM	80 mg/m ³
2. All Applicable Standards as per EP Acts/Rules/Norms	
Product Details	
1. RICE	65 Metric Tonnes/day
2. RICE HUSK	25 Metric Tonnes/day
3. Rice Bran	10 Metric Tonnes/day
Capacity of boiler	
1. Boiler	8 Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Rice Husk	10 Ton/day
Raw Material Details	
Paddy	100 Metric Tonnes/Day

*Regional Officer, Karnal
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.

6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

- 1) Will robustly run their APCM and ETP 2) Will apply for extension of CTO 90 days before expiry of this CTO. 3) Will not discharge any untreated TE from it's premise 4) Will immaculately maintain a logbook for the operations of ETP 5) Will only use "approved fuel" as prescribed by competent authority from time to time 6) Unit will abide by all the general and specific conditions/norms/directions of the HSPCB/CPCB/MoEF&CC/ Hon'ble NGTs 7) Will deposit pending fees if any in the future. 8) Unit willn't add any production capacity/polluting process/ under take expansion without taking CTE expansion 9) Will abide by the new HWM rules and guidelines for units lying in proximity to the severely polluted cities as per CEPI score (if applicable) 10) Will abide by the Ho'nble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable) 11) CTO granted is without prejudice to the action to be taken in respect of any violation made by unit in past & CTO will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 12) Will add new APCMs and pollution control devices, or modify the existing ones depending upon any change in directions, norms, limits, etc from time to time. 13) Will abide by all the CAQM directions as issued from time to time. 14) CTO so granted is subject to final

outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

***Regional Officer, Karnal
Haryana State Pollution Control Board.***